



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

December 3, 2015

James L. Kunstman, Ph.D.
VP, Regulatory Services
PBI/Gordon Corporation
P.O. Box 014090
Kansas City, MO 64101-0090

Subject: Notification per PRN 98-10 – Addition of phrase weeds “listed” to use directions
Product Name: EH-1385
EPA Registration Number: 2217-842
Application Date: November 24, 2015
Decision Number: 511596

Dear Dr. Kunstman:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped “Notification” and will be placed in our records.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you have any questions, you may contact Mindy Ondish at 703-605-0723 or via email at ondish.mindy@epa.gov.

Sincerely,

A handwritten signature in black ink that reads "Mindy Ondish for".

Reuben Baris
Product Manager 25
Herbicide Branch
Registration Division (7505P)
Office of Pesticide Programs

EH-1385 HERBICIDE

EPA Reg. No. 2217-842

Two sublabels represent the entire or master label of EH-1385 HERBICIDE. Please refer to the appropriate section of the labeling as shown as follows:

Section
Label language common to all sublabels
Sublabel 1.
Sublabel 2. Directions for Use for Gordon's Liquid Edger2 Ready-To-Use Lawn Weed & Grass Killer
Appendix
Document Control Information

NOTIFICATION

2217-842

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

12/03/2015

Label Language Common To All Sublabels

EH-1385 HERBICIDE

EPA Reg. No. 2217-842

Alternate Brand Names:

Gordon's Liquid Edger² Ready-To-Use Lawn Weed & Grass Killer

ACTIVE INGREDIENT:

Isopropylamine salt of glyphosate* 1.0%

OTHER INGREDIENTS: 99.0%

TOTAL 100.0%

*N-(phosphonomethyl) glycine

KEEP OUT OF REACH OF CHILDREN

CAUTION

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Harmful if absorbed through the skin. Avoid contact with skin, eyes or clothing. Harmful if swallowed. Wash thoroughly with soap and water after handling.

First Aid	
If in eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If on skin or clothing:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15 - 20 minutes.• Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor or going for treatment.	

Environmental Hazards

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters and rinsate.

Physical or Chemical Hazards

Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in a locked storage area inaccessible to children and domestic animals.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY STATEMENT cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

SUBLABEL 1

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Keep children and pets out of treated areas until sprays have dried. Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

1. Product Information

- EH-1385 Herbicide is a general purpose herbicide designed as a ready-to-use spray to control a broad spectrum of emerged annual and perennial weed species. EH-1385 Herbicide will control unwanted species of grass, sedge, broadleaf weeds, and certain woody species around trees, shrubs, fences.
- This product kills plants by inhibiting the production of a substance found only in plants. It enters plants through the sprayed foliage and moves down to the roots.
- This product is nonselective and will kill or injure all vegetation contacted by the spray.
- This product has no soil residual activity and thus will not affect nearby untreated plants.
- Plants that have not emerged at the time of application will not be controlled.
- Best results will be obtained when the weed species are actively growing.

2. Where To Use

- Along and on sidewalks, gravel/brick walkways, paths, curbs, paved areas (private roads and streets), driveways, parking areas, recreational areas
- Along ornamental lawns and turfgrass
- Around or near ornamental/shade trees, shrubs, groundcovers, flower beds, mulched landscape beds.
- Along fences, hedgerows, under fencelines
- Around rocks, signposts, light posts, or on fringe areas
- Around or along buildings/structures, foundations, patios, houses, mobile homes, vacant lots, urban areas, domestic outdoor premises, and other areas associated with household or home life
- In large areas for lawn replacement or garden plot preparation
- Urban areas where total vegetation control is desired
- Farmsteads where total vegetation control is desired: around farmstead building foundations, along fences, hedgerows, fencerows, under fencelines, around shelter belts and other areas where nonselective weed control is desired

3. Weeds Controlled

EH-1385 Herbicide will provide full or partial control (suppression) of these lawns and turfgrass species:	
Bahiagrass	Fescues, chewings, hard, red, tall and sheep
Bentgrass, colonial, creeping and redtop	Foxtails, green, yellow, creeping, meadow and giant
Bermudagrass, common and hybrid	Johnsongrass
Bluegrass, annual, rough and Kentucky	Kikuyugrass
Bromegrass, downy and smooth	Orchardgrass
Buffalograss ¹	Paspalum spp.
Canarygrass, reed	Ryegrass, annual, Italian, perennial and hardy
Carpetgrass ¹	St. Augustinegrass
Centipedegrass	Zoysiagrass or Japanese lawngress
¹ Not for use in California	

EH-1385 Herbicide will provide full or partial control (suppression) of these woody species:	
Alder	Mock orange ¹
Blackberry	Manzanita
Barberry	Pine
Caenothus spp.	Poison ivy
Cherry	Poison oak
Coyote brush	Poison hemlock
Dewberry	Oak
Elderberry	Quaking aspen
Honeysuckle	Raspberry
Hickory	Sumac
Kudzu	Trumpet creeper
Lantana	Wild blackberry
Maple	Western red cedar ¹
Multiflora rose	Willow

¹ Not for use in California

EH-1385 Herbicide will provide full or partial control (suppression) of these annual and perennial weed species:			
Artichoke, Jerusalem	Fennel	Oleander ¹	Tansy mustard
Barnyardgrass	Fiddleneck	Oxalis	Texas panicum
Beggarweed	Field bindweed	Pampasgrass	Thistle
Bittercress	Field pennycress	Pennsylvania smartweed	Timothy
Black medic	Field sandbur	Pennywort	Toadflax
Broadleaf plantain	Filaree	Pigweed	Torpedograss
Buckhorn plantain	Florida pusley	Plantain	Trailing lantana
Bull thistle	Garden spurge	Prickly lettuce	Tumble mustard
Burclover	Goosegrass	Primrose	Vaseygrass
Buttercup	Green foxtail	Prostrate spurge	Velvetleaf
Canada thistle	Guineagrass	Puncturevine	Virginia creeper
Chickweed	Hemp sesbania	Purple cudweed	White clover
Clover	Henbit	Purple nutsedge	Whitetop
Cocklebur	Horsenettle	Purslane	Wild barley
Common groundsel	Horseradish	Quackgrass	Wild carrot
Common mullein	Horseweed/marestail	Ragweed	Wild geranium
Common ragweed	Ironweed	Red clover	Wild morningglory
Coral-bead	Knapweed	Red sorrel ¹	Wild mustard
Crabgrass	Knawel	Redroot pigweed	Wild oats
Creeping Beggarweed	Knotweed	Shepherd's purse	Wild sweet potato
Creeping Charlie	Lambsquarters	Smartweed	Witchgrass
Curly dock	London rocket	Smooth catsear	Yarrow
Dallisgrass	Lovegrass	Smooth pigweed	Yellow nutsedge
Dandelion	Mallow	Sowthistle	Yellow oxalis
Dogfennel	Mayweed	Spotted spurge	Yellow Starthistle
Evening primrose	Milkweed	Spurge	
Fall panicum	Mouseear chickweed	Sunflower	
False dandelion	Nimblewill	Tansy ragwort	

¹ Not for use in California

4. How And When To Apply

- EH 1385 Herbicide is formulated for "spot treatment" of individual weeds and grasses. This product is ready-to-use (RTU) and is applied directly from the container fitted with a trigger sprayer. Adjust the sprayer tip to deliver coarse spray droplets to the individual weeds. Direct the spray to the target weeds—the ones you want to kill—to provide uniform and thorough coverage. Apply on a spray-to-wet basis.
- *[Supplemental registrants may include or omit the edger instructions presented in this paragraph:]*

EH 1385 Herbicide is an easy edger for around desirable plants and vegetation. To use, remove cap and fasten the built-in sprinkler applicator. For edging, turn container upside down. Walk slowly holding nozzle 2 to 6 inches above [weeds and grasses][area to be treated]. Thoroughly wet the foliage of the unwanted vegetation. A one-gallon container covers a 2 inch band 1200 feet long. For larger area coverage, adjust the width of the spray pattern by varying the height of the container.

- Apply when the weeds are growing actively and air temperatures are above 60°F.
- Spray [Use] when air is calm to prevent drift to desirable plants.
- When treating around desirable plants, shield plants from drift with a sheet of cardboard or plastic. If desirable plant is accidentally sprayed, rinse off immediately with water.
- Any product not absorbed by plants breaks down into natural materials without moving in or on the soil to untreated plants.
- One application will kill most of the weeds listed.
- Weeds usually begin to wilt within hours with complete kill in 1 to 2 weeks
- Rain or watering 2 hours after application will not wash away effectiveness
- Weed control may be reduced under adverse environmental conditions, e.g., drought, cool temperatures or misapplication. Difficult to control weeds, dense infestations/populations, or heavy/dense growth (canopy) of the target species may require additional applications. 2 or more applications at 4 weeks intervals may be required for season long control.
- Avoid cutting, mowing or disturbing the treated vegetation for 7 days following application.
- Ornamental trees, shrubs and flowers may be replanted 1 day after application.
- This 128 fl. oz. (gallon) retail container size treats approximately 1,000 weeds or 750 sq. ft.
- Do not spray plants or grasses you like – they may die too. Not recommended for spot weed control in lawns since this product kills lawn grasses.

SUBLABEL 2

Directions for Use for Gordon's Liquid Edger2 Ready-To-Use Lawn Weed & Grass Killer

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Keep children and pets out of treated areas until sprays have dried. Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

1. Product Information

EH-1385 Herbicide will control unwanted species of **listed** grass and broadleaf weeds around trees, shrubs and fences. This product has no soil residual activity and will not affect nearby untreated plants. Plants that have not emerged at the time of application will not be controlled. Best results will be obtained when the targeted grass or weed species are actively growing.

2. Where To Use

EH-1385 Herbicide can be used along and on sidewalks, walkways, paths, curbs, paved areas, private roads, driveways, parking lots and recreational areas. It can be used around or near shade trees, shrubs, groundcovers, flower beds, and mulched landscape beds. EH-1385 Herbicide can also be used along fences, under fencelines, around of along buildings or structures, foundations, patios and other areas associated with home life.

3. Weeds Controlled

EH-1385 Herbicide will provide full or partial control (suppression) of lawn and weed species: bahiagrass, bermudagrass, Kentucky bluegrass, fescue, ryegrass, St. Augustinegrass, zoysiagrass, crabgrass, creeping Charlie, oxalis, plantain, spurge and white clover.

4. How And When To Apply

Turn container upside down and walk slowly holding the nozzle 2 to 6 inches above the area to be treated. Thoroughly wet the foliage of the unwanted vegetation. This 128 fl.oz. [gallon] container treats approximately 750 sq.ft. or a 6-inch band 1,500 feet in length. Apply when the air temperatures are above 60°F and when air is calm to prevent drift to desirable plants. Avoid cutting, mowing or disturbing the treated vegetation for 7 days following application.

Difficult to control weeds, dense infestations, or dense growth may require additional applications. Two or more applications at 4 week intervals may be required for season-long control.

EH-1385 Herbicide is not recommended for spot weed control in lawns since this product kills lawn grasses.

[Back Panel] [Restatement of information in sublabel 2]

Getting Started

What It Does:

Systemic weed and grass killer for spot treatment of unwanted **listed** weeds and grasses

Where To Use:

For use around flower beds, trees and shrubs, fences, walks, mulch beds, gravel and driveways

When To Use:

Apply when the air temperatures are above 60°F

Telephone Icon

Computer Icon

For questions or comments call toll-free 800.884.3179 Mon. – Fri. 8:00 a.m. – 4:30 p.m. CST or visit [our website at] GordonsUSA.com

APPENDIX

1. Statements which may appear on different label components depending on packaging configuration.

- See next panel for additional Precautionary Statements and First Aid
- Net Contents: _____
- EPA Est. No. _____

2. Advertising claims that may be presented on container labeling, advertisements, brochures, and other marketing/sales promotional materials:

- Ready-To-Use – no mixing
- For nonselective post emergent control of unwanted vegetation
- For nonselective weed control on noncrop/residential areas
- Contains glyphosate
- Quick and easy to use
- No leaks or mess
- Easy to store
- No mixing required
- Covers approximately 750 sq.ft. for one gallon container size
- Systemic weed and grass killer for spot treatment of unwanted weeds and grasses
- Kills weeds and grasses listed on this label
- Kills to the root
- No residual activity in soil
- For use around flower beds, trees and shrubs, fences, walks, mulch beds, gravel and driveways
- Kills roots and all in 2-4 weeks
- Controls undesirable vegetation in 2-4 weeks
- For use around flower beds, trees, shrubs, fences and walks
- [rain-proof in hours] [rain-proof in less than [x*] hours] (Note: Values less than or equal to 2 *Not for use in California)
- Results in as little as 24 hours* (*Not for use in California)
- Convenient tip & treat bottle
- Covers approximately 750 sq.ft.
- Ideal for weeds in tight spots
- Kills to the root
- Ready-to-use [RTU]
- An easy edger for around desirable plants

DOCUMENT CONTROL INFORMATION

1. Unique Label Identifier: 002217-00842.20151124.notif-proposed-highlighted

2. Reason for Issue: add "listed" per CA comments